

## REVISION RECORD

Gray highlighted sections indicate latest revisions.

Section	Title	Date Revised
T.O.C.	Table of Contents	12/09/10
RR	Revision Record	12/09/10
INTRO	Introduction	05/11/09

### Part I: Selection of Seismic Restraints for Pipe and Duct

Section	Title	Date Revised
S1.0	Seismic Restraint Basics for Pipe and Duct	12/17/09
S2.0	Required Basic Product Information	05/28/09
S3.0	Pipe and Duct Component Importance Factor	04/21/08
S4.0	Code Based Exemptions	09/04/09
S5.0	Code Based Seismic Design Forces	02/16/10
S6.0	Anchorage of Seismic Restraints for Pipe and Duct	05/07/09
S7.0	Selection & Location of Seismic Restraints for Pipe and Duct	11/01/10
S8.0	Hanger Rod Reaction Forces & Stiffener Requirements	05/21/09
S9.0	Extreme Temperature Piping Applications	10/28/08
S10.0	Seismic Restraint for Drain, Waste, and Vent Lines	11/02/10
S11.0	Seismic Restraint Spacing for Pipe and Duct	05/07/09
S12.0	The 12" Rule Explained	05/07/09
S13.0	Fire Protection Piping Systems	05/07/09
S14.0	Consequential Damage	05/27/09
S15.0	Electrical Distribution Systems	05/07/09

### REVISION RECORD

PAGE 1 of 3



Dublin, Ohio, USA • Mississauga, Ontario, Canada

Toll Free (USA Only): 800-959-1229  
 International: 614-889-0480  
 FAX: 614-889-0540  
 World Wide Web: [www.kineticsnoise.com](http://www.kineticsnoise.com)  
 E-mail: [sales@kineticsnoise.com](mailto:sales@kineticsnoise.com)

### SECTION – RR

RELEASED ON: 12/09/2010



Member

# KINETICS™ Pipe & Duct Seismic Application Manual

## Part II: Installation of Seismic Restraints for Pipe and Duct

Section	Title	Date Revised
11.0	Quick Start – Read Me First	12/06/10
12.0	Proper Prior Planning Prevents Poor Performance	05/28/09
13.0	Cable Restraint Schematics for Piping	12/07/10
14.0	Cable Restraint Schematics for Duct	12/08/10
15.0	Structural Attachments for Pipe and Duct Restraints	09/04/09
16.0	Pipe, Duct, Clevis, and Trapeze Bar Attachments	04/08/09
17.0	Struts & Stuff	12/09/10
18.0	Hanger Rod Stiffeners – Why, When, & How	09/08/09
19.0	Electrical Distribution Systems – Contractor Summary	05/05/09

## Appendices

Section	Title	Date Revised
A1.1	KSCU & KSCC Seismic Restraint Cable Capacities	04/09/10
A1.2	KSCU & KSCC Non-Isolated Restrained Weight Capacity	04/12/10
A2.1	Standard Steel Pipe Data	01/04/08
A2.2	Fire Protection Pipe Data	04/25/08
A2.3	Cast Iron Soil Pipe Data	04/11/08
A2.4	PVC & CPVC Pipe Data	08/05/08
A2.5	Copper Water Pipe Data	02/23/10
A2.6	Domestic Hot & Chilled Water piping Corner Data	08/15/08
A3.1	Rectangular Duct Data	07/07/08
A3.2	Round Duct Data	07/09/08
A3.3	Flat Oval Duct Data	11/29/07
A3.4	Sheet Metal Screws Required for Duct Restraint	11/07/07
A3.5	Fillet Weld Size & Length for Duct Restraint	07/11/08

### REVISION RECORD

PAGE 2 of 3



Dublin, Ohio, USA • Mississauga, Ontario, Canada

Toll Free (USA Only): 800-959-1229  
 International: 614-889-0480  
 FAX: 614-889-0540  
 World Wide Web: [www.kineticsnoise.com](http://www.kineticsnoise.com)  
 E-mail: [sales@kineticsnoise.com](mailto:sales@kineticsnoise.com)

### SECTION – RR

RELEASED ON: 12/09/2010



Member

# KINETICS™ Pipe & Duct Seismic Application Manual

## Appendices Continued

Section	Title	Date Revised
A3.6	ASTM A307 & A325 Bolts Required for Duct Restraint	08/27/08
A4.1	Bolt Data	05/20/10
A4.2	Model KCCAB Wedge Type Concrete Anchor Data	04/09/10
A4.3	Sheet Metal Screw Data	10/31/07
A4.4	Lag Screw Data	10/14/08
A5.1	Estimating Hanger Rod Stiffener Requirements	07/17/08
A5.2	Maximum Un-Stiffened Hanger Rod Length for $0^\circ \leq A \leq 45^\circ$	07/15/08
A5.3	Maximum Un-Stiffened Hanger Rod Length for $45^\circ < A \leq 60^\circ$	07/15/08
A5.4	AISI Angle Stiffener Data for $0^\circ \leq A \leq 45^\circ$	07/16/08
A5.5	AISI Angle Stiffener Data for $45^\circ < A \leq 60^\circ$	07/16/08
A5.6	Maximum Rod Stiffener Clamp Spacing for $0^\circ \leq A \leq 45^\circ$	07/17/08
A5.7	Maximum Rod Stiffener Clamp Spacing for $45^\circ < A \leq 60^\circ$	07/17/08
A5.8	Rod Stiffener Equivalents	08/04/08
A6.1	Maximum Allowable Restraint Spacing – Standard Steel Pipe	07/30/08
A6.2	Maximum Allowable Restraint Spacing – Fire Protection Pipe	07/30/08
A6.3	Maximum Allowable Restraint Spacing – Cast Iron Soil Pipe	07/30/08
A6.4	Maximum Allowable Restraint Spacing – PVC & CPVC Pipe	07/30/08
A6.5	Maximum Allowable Restraint Spacing – Copper Water Pipe	07/30/08
A6.6	Maximum Allowable Restraint Spacing – Ducts	10/28/08
A7.1	Mapped Acceleration Parameters for Selected U. S. Cities	05/07/09
A7.2	Mapped Acceleration Parameters for Selected World Cities	05/07/08
A8.1	Electrical Conduit Data	04/24/09

### REVISION RECORD

PAGE 3 of 3



Dublin, Ohio, USA • Mississauga, Ontario, Canada

Toll Free (USA Only): 800-959-1229  
 International: 614-889-0480  
 FAX: 614-889-0540  
 World Wide Web: [www.kineticsnoise.com](http://www.kineticsnoise.com)  
 E-mail: [sales@kineticsnoise.com](mailto:sales@kineticsnoise.com)

### SECTION – RR

RELEASED ON: 12/09/2010



Member